



 **STREAMLINE**

**OVA8**<sup>®</sup>

The next generation  
of waterfed poles is here

OVA8-2021



### **OVA8®** POLES

The **STREAMLINE® OVA8®** carbon fibre telescopic poles are designed in an 'oval' profile section, reducing the wear of the sections from the pole clamps.



### **OVA8®** EXTENSIONS

With a range of **NEW STREAMLINE® OVA8®** pole extensions, the **STREAMLINE® OVA8®** waterfed pole becomes even more versatile. Available in a number of bespoke pole sections, you can extend the reach of this great waterfed pole with ease.



### **OVA8®** ACCESSORIES

A growing range of **STREAMLINE® OVA8®** accessories making this water fed pole one of the most versatile poles on the market to date.



The **STREAMLINE® OVA8®** carbon fibre telescopic poles are designed with 'oval' profile sections, allowing for zero pole spin and reducing the wear of the sections from the pole clamps. Available in a number of different sizes, with numerous adapters and pole extensions, making the **STREAMLINE® OVA8®** one of the best waterfed poles on the market to date!




**STREAMLINE®**

# OVA8®

## Eliminating the spin, once and for all

The **STREAMLINE® OVA8®** carbon fibre telescopic poles are designed with 'oval' profile sections, allowing for zero pole spin and reducing the wear of the sections from the pole clamps. Available in a number of different sizes, with numerous adapters and pole extensions, making the **STREAMLINE® OVA8®** one of the best waterfed poles on the market to date!



**Quick Release System**

**Superior Clamps**

**Zero Spin**

### Pole stress

When designing an anti-rotational oval shaped pole, it was discovered that an additional feature was provided – stiffness. The two flat sides of the **STREAMLINE® OVA8®** telescopic pole add more stability and therefore more control for the operator, a huge "safety" plus. Any experienced operative will tell you how dangerous and annoying a spinning pole section is. These flat sides will cancel out that "whipping effect" either from moving a pole at height from one window to another, or 'bouncing off the glass' motions. Operators will be more productive and work safer – both for themselves and others around them.

### Hand ergonomics

Holding any item in the hand for long periods can be painful. The **STREAMLINE® OVA8®** design combines two flat sides. These sit more comfortably in an operator's hand and allow the tips of their fingers to sit on the flat edge. It's been found that handling an **STREAMLINE® OVA8®** pole requires less grip to control the pole, either from pushing it up and down, or from firmly holding the base section to move the pole to the next window.

### Anti-rotational pole sections - Our no.1 goal - NO SPIN!

Arriving at the final oval shape wasn't easy, as many other shapes had failed (round, square, hexagon, octagon, lobe) in one area of design or another, so designing the right shape had to provide more than one feature of anti-spin.

Eliminating the rotational spin of the pole section around the clamp area results in less wear of the pole material. Also, because of the anti-spin pole section, our **STREAMLINE® OVA8®** oval clamps work less due to only having to prevent the pole sections from moving up or down.

### Why use the **STREAMLINE® OVA8®** pole?

- Its innovative design ensures that the dreaded pole spin associated with worn waterfed pole sections is a thing of the past.
- Superb pole section clamps ensure the pole sections stay where you want them.
- 100% carbon ensuring it's as light as possible and as strong as possible.
- Its 2 flat sides make the pole easier to hold for long periods of time.
- Available in multiple sizes to suit customers' needs.
- AVAILABLE NOW - a range of accessories to ensure that the **STREAMLINE® OVA8®** is as versatile as possible.

**100%  
Carbon Fibre  
Poles**



## STREAMLINE® OVA8® Poles

Poles are available in 10 sizes

PART NO	NO. OF SECTIONS	MIN. LENGTH (mm/ft)	MAX. LENGTH (mm/ft)	ACHIEVABLE HEIGHT	LENGTH OF TUBING	WEIGHT	PRICE
<b>OV17-24-E</b>	5	1,500mm/5ft	5,100mm/17ft	20ft/6.1m	8 metre	0.99kg	<b>£307.90</b>
<b>OV22-24-E</b>	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg	<b>£328.90</b>
<b>OV22-40-E</b> HI MOD	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg	<b>£498.40</b>
<b>OV25-24-E</b>	5	1,830mm/6ft	7,700mm/25ft	28ft/8.5m	10 metre	1.35kg	<b>£335.50</b>
<b>OV30-24-E</b>	6	1,865mm/6ft	9,150mm/30ft	33ft/10.6m	12 metre	1.70kg	<b>£384.00</b>
<b>OV35-30-E</b>	7	1,900mm/6ft	10,700mm/35ft	38ft/11.6m	12 metre	2.00kg	<b>£507.60</b>
<b>OV40-30-E</b>	8	2,110mm/7ft	12,400mm/40ft	43ft/13.1m	15 metre	2.50kg	<b>£582.70</b>
<b>OV45-30-E</b>	9	2,150mm/7ft	13,720mm/45ft	48ft/14.6m	15 metre	2.80kg	<b>£706.10</b>
<b>OV60-40-E</b>	10	2,270mm/7ft	18,288mm/60ft	63ft/19.2m	20 metre	3.80kg	<b>£1721.90</b>
<b>OV60-46-E</b> HI MOD	10	2,270mm/7ft	18,288mm/60ft	63ft/19.2m	20 metre	3.80kg	<b>£2946.00</b>



### NEW 22ft HI MOD STREAMLINE® OVA8® POLE


We listened to our customers, who wanted a 22ft version of the STREAMLINE® OVA8® pole, so here it is. Packed with all the features of it's larger counterparts, it's an ideal pole for the professional window cleaner. Weighting only 1150g it comes with 6 sections, 145cm compressed length and reaches up to an impressive 25ft with outstanding rigidity.

### DID YOU KNOW?

All STREAMLINE® OVA8® poles come complete with our adjustable nylon gooseneck, tubing, a STREAMLINE® brush and a hose coupling of your choice!



## STREAMLINE® OVA8® Poles



### OV60-46-E-HI-MOD

› to 63ft, 6 storeys

### OV60-40-E

› to 63ft, 6 storeys

### OV45-30-E

› to 48ft, 5 storeys

### OV40-30-E

› to 43ft, 5 storeys

### OV35-30-E

› to 38ft, 4 storeys

### OV30-24-E

› to 33ft, 3 storeys

### OV25-24-E

› to 28ft, 3 storeys

### OV22-HI-MOD

› to 20ft, 2 storeys

### OV22-24-E

Up to 20ft, 2 storeys


### OV17-24-E

Up to 20ft, 2 storeys

**CAUTION! DANGER OF ELECTROCUTION** These poles are made from carbon fibre which is a conductor of electricity. The last section of the pole is glass fibre to reduce the risk of electrocution. Care needs to be taken to avoid working near to overhead power lines or other electrical installations.

Take a look at our growing selection of STREAMLINE® OVA8® videos...

Scan the QR code to visit our STREAMLINE® OVA8® YouTube playlist!





**STREAMLINE**

# OVA8<sup>®</sup> EXTENSIONS

Make your **STREAMLINE<sup>®</sup> OVA8<sup>®</sup>** waterfed pole even more versatile

With a range of **NEW STREAMLINE<sup>®</sup> OVA8<sup>®</sup>** pole extensions, the **STREAMLINE<sup>®</sup> OVA8<sup>®</sup>** waterfed pole becomes even more versatile. Available in a number of bespoke pole sections, you can extend the reach of this great waterfed pole with ease.

## Extension sections for OV17-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION	PRICE
<b>OV06-07-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-7 to increase 17ft to 30ft	30ft / 9.1m	<b>£209.10</b>
<b>OV06-08-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-8 to increase 17ft to 35ft	35ft / 10.6m	<b>£321.30</b>
<b>OV06-09-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-9 to increase 17ft to 40ft	40ft / 12.2m	<b>£445.80</b>
<b>OV06-10-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-10 to increase 17ft to 45ft	45ft / 13.7m	<b>£578.20</b>

## Extension sections for OV22-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION	PRICE
<b>OV06-07-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-7 to increase 22ft to 30ft	30ft / 9.1m	<b>£209.10</b>
<b>OV06-08-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-8 to increase 22ft to 35ft	35ft / 10.6m	<b>£321.30</b>
<b>OV06-09-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-9 to increase 22ft to 40ft	40ft / 12.2m	<b>£445.80</b>
<b>OV06-10-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-10 to increase 22ft to 45ft	45ft / 13.7m	<b>£578.20</b>

## STREAMLINE<sup>®</sup> OVA8<sup>®</sup> Poles

### Extension sections for OV25-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION	PRICE
<b>OV06-07-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-7 to increase 25ft to 35ft	35ft / 10.6m	<b>£209.10</b>
<b>OV06-08-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-8 to increase 25ft to 40ft	40ft / 12.2m	<b>£321.30</b>
<b>OV06-09-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-9 to increase 25ft to 45ft	45ft / 13.7m	<b>£445.80</b>
<b>OV06-10-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 6-10 to increase 25ft to 50ft	50ft / 15.2m	<b>£578.20</b>

### Extension sections for OV30-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION	PRICE
<b>OV07-08-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 7-8 to increase 30ft to 40ft	40ft / 12.2m	<b>£221.90</b>
<b>OV07-09-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 7-9 to increase 30ft to 45ft	45ft / 13.7m	<b>£346.90</b>
<b>OV07-10-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 7-10 to increase 30ft to 50ft	50ft / 15.2m	<b>£479.50</b>

### Extension sections for OV35-30-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION	PRICE
<b>OV08-09-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 8-9 to increase 35ft to 45ft	45ft / 13.7m	<b>£237.60</b>
<b>OV08-10-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 8-10 to increase 35ft to 50ft	50ft / 15.2m	<b>£370.00</b>

### Extension sections for OV40-30-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION	PRICE
<b>OV09-10-1675</b>	STREAMLINE <sup>®</sup> OVA8 <sup>®</sup> Carbon Sections 9-10 to increase 40ft to 50ft	50ft / 15.2m	<b>£259.60</b>



# STREAMLINE® OVA8® ACCESSORIES

See our brand new  
STREAMLINE® OVA8®  
accessories...

A growing range of STREAMLINE® OVA8®  
accessories making this water fed pole one of  
the most versatile poles on the market  
to date.

ONE OF THE MOST VERSATILE POLES ON THE MARKET

## STREAMLINE® OVA8® Accessories

### OVA8® 150mm Nylon Brush Extension

PART NO	ITEM	PRICE
OV-FT150	OVA8® 150mm Nylon Brush Extension	£12.00



### OVA8® 200mm Carbon Brush Extension

PART NO	ITEM	PRICE
OV-FT200	OVA8® 200mm Carbon Brush Extension	£22.10



### OVA8® 300mm Carbon Brush Extension

PART NO	ITEM	PRICE
OV-FT300	OVA8® 300mm Carbon Brush Extension	£27.30



### OVA8® Brush Swivel Socket - 90 Degree

PART NO	ITEM	PRICE
OV-BS003	OVA8® Brush Swivel Socket - 90 Degree	£6.90



### OVA8® Brush Socket - 90 Degree

PART NO	ITEM	PRICE
OV-BS002	OVA8® Brush Socket 90 Degree	£5.80



### NEW OVA8® Bronze Wool Pad

PART NO	ITEM	PRICE
OV-PAD001	Streamline® OVA8® Bronze Wool Pad Adapter complete with 1 x Streamline® Bronze Wool Pad	£29.90
V549132	Bronze Wool Pad Only	£16.70



## STREAMLINE® OVA8® Accessories

### OVA8® Dual Angle Adapter

PART NO	ITEM	PRICE
<b>OV-AD20-10</b>	OVA8® Dual Angle Adapter	<b>£19.30 + VAT</b>



### OVA8® Angle Adapter

PART NO	ITEM	PRICE
<b>OV-AD20-15</b>	OVA8® 3" Angle Adapter	<b>£20.60</b>
<b>OV-AD20-16</b>	OVA8® 6" Angle Adapter	<b>£21.70</b>



### OVA8® Angle Adapter with GT Thread

PART NO	ITEM	PRICE
<b>OV-AD20-03</b>	OVA8® 3" Angle Adapter	<b>£21.80</b>
<b>OV-AD20-06</b>	OVA8® 6" Angle Adapter	<b>£22.00</b>
<b>OV-AD20-09</b>	OVA8® 9" Angle Adapter	<b>£23.50</b>
<b>OV-AD20-12</b>	OVA8® 12" Angle Adapter	<b>£25.20</b>



### OVA8® Clamp

PART NO	ITEM	PRICE
<b>OV-CLMP01</b>	OVA8® Clamp 1	<b>£11.70</b>
<b>OV-CLMP02</b>	OVA8® Clamp 2	<b>£11.70</b>
<b>OV-CLMP03</b>	OVA8® Clamp 3	<b>£11.70</b>
<b>OV-CLMP04</b>	OVA8® Clamp 4	<b>£11.70</b>
<b>OV-CLMP05</b>	OVA8® Clamp 5	<b>£11.70</b>
<b>OV-CLMP06</b>	OVA8® Clamp 6	<b>£11.70</b>
<b>OV-CLMP07</b>	OVA8® Clamp 7	<b>£11.70</b>
<b>OV-CLMP08</b>	OVA8® Clamp 8	<b>£11.70</b>
<b>OV-CLMP09</b>	OVA8® Clamp 9	<b>£11.70</b>
<b>OV-CLMP010</b>	OVA8® Clamp 10	<b>£11.70</b>



## STREAMLINE® OVA8® Brushes

### 10" (260mm) STREAMLINE® Brush - Medium Dual Bristle, with OVA8® Socket

WEIGHT	WIDTH
289g	260mm

PART NO	ITEM	PRICE
<b>V-SBF26-MD06-001</b>	Brush only	<b>£34.60</b>



### 14" (360mm) STREAMLINE® Brush - Medium Dual Bristle, with OVA8® Socket

WEIGHT	WIDTH
351g	360mm

PART NO	ITEM	PRICE
<b>V-SBF36-MD06-001</b>	Brush only	<b>£38.20</b>



### 10" (260mm) STREAMLINE® Brush - Dual Bristle with Boars' Hair and OVA8® Socket

WEIGHT	WIDTH
392g	260mm

PART NO	ITEM	PRICE
<b>V-SBF26-BD06-001</b>	Brush only	<b>£56.70</b>
<b>V-SBF26-BD06-010</b>	Pack of 10	<b>£510.40</b>



### 14" (360mm) STREAMLINE® Brush - Dual Bristle with Boars' Hair and OVA8® Socket

WEIGHT	WIDTH
392g	260mm

PART NO	ITEM	PRICE
<b>V-SBF36-BD06-001</b>	Brush only	<b>£65.60</b>
<b>V-SBF36-BD06-010</b>	Pack of 10	<b>£590.00</b>



### STREAMLINE® Nozzle Jets

PART NO	ITEM	PRICE
<b>FJ2-02</b>	Fan Jet Kit	<b>£10.00</b>
<b>FJ2-04</b>	Fan Jet Kit pack of 4	<b>£22.30</b>
<b>NJ3-02</b>	Pencil Jet Kit	<b>£10.00</b>
<b>NJ3-04</b>	Pencil Jet Kit pack of 4	<b>£22.30</b>

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





## **STREAMLINE**

Hamilton House, 8 Fairfax Road,  
Heathfield Industrial Estate,  
Newton Abbot  
Devon, TQ12 6UD  
United Kingdom

Telephone: +44 (0) 1626 830 830  
Email: [sales@streamline.systems](mailto:sales@streamline.systems)  
Visit [www.streamline.systems](http://www.streamline.systems)